Hydrobiologia
The International Journal on Limnology and Marine Sciences

Contents

Volume 377

Effects of bauxite tailing on PAR attenuation in an Amazonian crystalline water lake
by F. Roland & F. de A. Esteves 1–7
Distribution, phenology and status for the larger Branchiopoda (Crustacea: Anostraca, Notostraca, Spinicaudata and Laevicaudata) in Denmark
by J. Damgaard & J. Olesen 9–13
Periphyton growth as an indicator of eutrophication; an experimental approach
by J. Mattila & R. Räisänen 15–23
Physical and chemical limnology of northern boreal lakes, Wood Buffalo National Park, northern Alberta and the Northwest Territories, Canada
by K.A. Moser, J.P. Smol, D.R.S. Lean & G.M. MacDonald 25–43
Effect of nutrient enrichment on the distribution and sedimentation of polychlorinated biphenyls (PCBs) in seawater
by A. Andersson, P. Wallberg, J. Nordbäck, P.-A. Bergqvist & E. Selstam 45–56
Temporal variation in plankton assemblages and physicochemistry of Devils Lake, North Dakota
by H.V. Leland & W.R. Berkas 57–71
Dietary shifts of a dominant reservoir planktivore during early life stages
by L.E. Miranda & H. Gu 73–83
Dissolved nutrient concentrations and loads in some upland streams of the English Lake District
by A.J. Lawlor, E. Rigg, L. May, C. Woof, J.B. James & E. Tipping 85–93
Distribution of aquatic macroinvertebrates within peatland pool complexes in the Flow Country, Scotland
by I.S. Downie, J.C. Coulson, G.N. Foster & D.P. Whitfield 95–105
Benthic algal biomass in an unshaded first-order lowland stream: distribution and regulation
by K. Kjeldsen, T.M. Iversen, J. Thorup & T. Winding 107–122
On three new species of *Parathelphusa* (Crustacea: Decapoda: Branchyura: Parathelphusidae) from Borneo
by O.K.S. Chia & P.K.L. Ng 123–131
Freshwater zooplankton in the Hawkesbury-Nepean River: comparison of community structure with other rivers
by T. Kobayashi, R.J. Shiel, P. Gibbs & P.I. Dixon 133–145
COMBO: a defined freshwater culture medium for algae and zooplankton
by S.S. Kilham, D.A. Kreeger, S.G. Lynn, C.E. Goulden & L. Herrera 147–159

Sex-linked differences in phenol oxidase in the fairy shrimp *Streptocephalus dichotomus* Baird and their possible role (Crustacea: Anostraca)
by M. Radhika, A.K. Abdul Nazar, N. Munuswamy & K. Nellaiappan 161–164
A new species of *Neocervinia* (Copepoda: Harpacticoida: Cerviniidae) from the hyperbenthos of the Hatsushima cold-seep site in Sagami Bay, Japan
by W. Lee & K.-I. Yoo 165–175
Short-term variations in pelagic photosynthesis demand well-timed sampling to monitor long-term limnological changes in Lake Victoria
by J.H. Wanink & J.J. Kashindye 177–181
Factors affecting feeding rate, reproduction and growth of an oligochaete *Lumbriculus variegatus* (Müller)
by M.T. Leppänen & J.V.K. Kukkonen 183–194
Shrimps and eutrophication in the waterbodies of a coastal grazing marsh
by A.J. Samuels & C.F. Mason 195–199
Is the reduced metabolism of hypogean amphipods solely a result of food limitation?
by J.I. Spicer 201–204
Anomopoda (Crustacea: Branchiopoda) from some Venezuelan tepuis
by I. Hudec 205–211

Errata
A review of the genus *Eodiaptomus* Kiefer, 1932, with the description of *E. sanuamuangae* n.sp. from Thailand, and a redescription of *E. lumholtzi* (Sars, 1889) from Australia (Copepoda, Calanoida)
by Y.R. Reddy & H.J. Dumont 213–215
A note on the Diaptomidae of Thailand, including redescription of three species and description of a new species (Copepoda, Calanoida)
by Y.R. Reddy, L-O. Sanoamuang & H. J. Dumont 217–218

Author Index 219